

OSIMO

The Osimo Bench platform has been designed to use the minimum amount of components possible. The system utilises an innovative leg-to-rail connection to create a stable product whilst providing a cost-effective solution for both desk and bench configurations. The Osimo platform uses a single cross rail on the desk version, and twin cross rails on the bench version, resulting in a universal top drilling pattern across both options, and the intermediate leg frames will enable the construction of multi-person runs.











OSIMO
















TECHNICAL











TECHNICAL


The Osimo system ranges from 800 to 1800mm in width and the desk frames are either 600, 700 or 800mm deep. There is also an intermediate leg to allow the creation of inline runs. A radial desk can be created by adding a return beam, leg and associated parts, allowing returns of 1200 -1800.



TThe back-to-back bench frames are 1200, 1400, or 1600mm deep, and with a universal intermediate leg, multi-person layouts can be constructed. A range of cable trays are available to facilitate cable management, and d-end support brackets, infill panel brackets and modesty panel brackets are also in the range. All end legs are detailed to accept an infill panel or modesty panel bracket.









STEEL FINISHES



MFC FINISHES



Worktop Finishes 25mm tops - Popular colour choices include: Stone Oak, White, Halifax Oak Graphite Grey or White (Fenix, ply-edge, Egger, Swiss Krono & equivalent finishes available on request)





OTTO
RAMO
DELFINO
GIO
OSIMO
DISCO
AERO
MIO
TRANQUILLO
RADUNO
TAVOLO
CUBO







SAGAL GROUP,

1ST FLOOR, 77 BASTWICK STREET, LONDON, ECIV 3PZ

T. 020 7253 7390

E. INFO@SAGALGROUP.CO.UK

@ SAGALGROUP LOVEWHEREYOUWORK